L Number	Hits	Search Text	DB	Time stamp
-	50	(network\$4 internet web) and ((select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4	USPAT; EPO; JPO;	2003/01/28 15:13
		hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4))) and (wildcard\$4 wild\$6)	DERWENT; IBM_TDB	
-	61		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:48
-	129		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:08
-	23		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:43
-	13	<pre>((web site internet html java) near6 (program\$5 application)) and (select\$6 pick\$4 click\$4) near8 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near11 ((user client member) near7 profil\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:01
-	25	<pre>((web site internet html java) near6 (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near7 ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and (program\$5 near3 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:49
	137		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:42
-	121	((web site internet html java) hears tagy) ((web site internet html java) near11 (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java) near5 tag\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:04
_	5		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30
_	5	(link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) near11 ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java) near5 tag\$4) and (wild\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:13
-	71		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 16:35

		•		
-	32	client computer) near9 (profil\$4	USPAT; EPO; JPO;	2003/01/30 16:35
		propert\$6 attribut\$4)) and (wildcard wild\$4)	DERWENT; IBM_TDB	
-	50	(select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same	USPAT; EPO; JPO;	2003/01/30 16:26
		((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4	DERWENT; IBM TDB	
_	24	wild\$6)	USPAT;	2003/01/30
	23	hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4	EPO; JPO; DERWENT;	16:39
		propert\$6 attribut\$4)) and ((prompt\$6	IBM_TDB	
		que\$5) near5 (user member client computer)) and (wildcard\$4 wild\$6)		
-	197	hyperlink\$4 hyper-link\$4 hyper\$7) and	USPAT; EPO; JPO;	2003/01/30 17:26
		((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((prompt\$6	DERWENT; IBM_TDB	
		que\$5) near5 (user member client computer) near8 (transmi\$7 transfer\$4	_	
		send\$4 forward\$4)) not ((select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4		
		hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6		
		attribut\$4)) and ((prompt\$6 que\$5) near5 (user member client computer) near8		
	5	(transmi\$7 transfer\$4 send\$4 forward\$4))) ((prompt\$6 que\$5) adj3 (user member	USPAT;	2003/01/31
_		client computer) adj6 (transmi\$7	EPO; JPO;	13:25
	1.0	transfer\$4 send\$4 forward\$4) near11 (profil\$4 propert\$6 attribut\$4))	DERWENT; IBM_TDB	0000/01/20
_	16	(server near11 (cookie ((internet\$4 web site) near2 (fil\$4 information data)))	USPAT; EPO; JPO;	2003/01/30 18:04
		nearl1 (sav\$4 stor\$4)) same (ad advertis\$4) and (((user member client	DERWENT; IBM_TDB	
		computer) near9 (profil\$4 propert\$6 attribut\$4)) permission\$4)		
-	4	(program\$5 application)) and (link\$4	USPAT; EPO; JPO;	2003/01/31 10:10
		hyperlink\$4 hyper-link\$4 hyper\$7) same ((prompt\$4 que\$4 permi\$6) nearl1 (user	DERWENT; IBM_TDB	
		computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard wild		
_	6	wild-card) ((prompt\$6 que\$5) adj3 (user member	USPAT;	2003/01/31
		client computer) adj6 (profil\$4 propert\$6 attribut\$4)) and ((server near11 (cookie	EPO; JPO; DERWENT;	10:21
		((internet\$4 web site) near2 (fil\$4 information data))) near11 (sav\$4	IBM_TDB	
_	9	stor\$4))) and (prompt\$6 profil\$4)	USPAT;	2003/01/31
		pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same	EPO; JPO; DERWENT;	10:58
		((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4	IBM_TDB	
_	81	wild-card (wild adj card))	USPAT	2003/07/24
		hyper-text hypertext) near5 element\$4	OSFAI	15:29
		same (client user member computer subscriber) near4 (parameter propert\$6		
-	34		USPAT	2003/07/25
		hyper-text hypertext) near5 element\$4 near11 (client user member computer		10:59
		subscriber) near4 (parameter propert\$6 identi\$7 profil\$4))		0000 (07 (5 :
_	13	and ((link\$4 hyper-text hypertext) near5	USPAT	2003/07/24 15:32
		element\$4 near11 (client user member computer subscriber) near4 (parameter		
L	<u> </u>	propert\$6 identi\$7 profil\$4))	<u> </u>	

Search History 6/13/04 11:11:58 PM Page 2

_	8	((web site internet html java) near11 (program\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user computer client member) near7 (profil\$4 propert\$6 attribut\$4)) and ((link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java) near5 tag\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25
-	31	and (wild\$7) (web internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 10:43
_	13	wild\$6) (web site internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25
-	25	wild\$6) not (435/\$ 436/\$).ccls. ((web internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4 wild\$6)) and ((mac harware address version port location) same (element	USPAT	2003/07/25 10:50
_	10	propert\$4 profil\$4 parameter))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25
-	9	propert\$4 profil\$4 parameter))) not (435/\$ 436/\$).ccls.	USPAT	2003/07/25 11:32
-	56	propert\$6 identi\$7 profil\$4)) (web site internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 11:35
_	13	wild\$6) ((web site internet html java) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user client member) near7 (profil\$4 propert\$6 attribut\$4)) and (wildcard\$4 wild\$6)) not (422/\$ 435/\$ 436/\$).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 12:49
-	126	<pre>(web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user subscriber computer client member) near7 (profil\$4 propert\$6 attribut\$4 parameter)) same (hardware mac system))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 12:55
_	48	not (422/\$ 435/\$ 436/\$).ccls. (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same ((user subscriber computer client member) near7 (profil\$4 propert\$6 attribut\$4 parameter)) near11 (hardware mac system)) not (422/\$ 435/\$ 436/\$).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 13:47

-	51	<pre>(web site internet html java) and ((select\$6 pick\$4 click\$4) near5 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java)) and ((detect\$6) near4 (storag\$4 cache hardware mac system) near5 (profil\$4 propert\$6 attribut\$4 information parameter)) and (request\$4 near6 (user member client subscriber system cache hardware) near7 (attribut\$6 storag\$4 parameter information profil\$4 propert\$7 element\$5))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25
-	8	(web site internet html java) and ((select\$6 pick\$4 click\$4) near5 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java)) and ((detect\$6) near4 (storag\$4 cache hardware mac system) near5 (profil\$4 propert\$6 attribut\$4 parameter)) and (request\$4 near6 (user member client subscriber system cache hardware) near7 (attribut\$6 storag\$4 parameter information profil\$4 propert\$7 element\$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:07
	43	((web site internet html java) and ((select\$6 pick\$4 click\$4) near5 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java)) and ((detect\$6) near4 (storag\$4 cache hardware mac system) near5 (profil\$4 propert\$6 attribut\$4 information parameter)) and (request\$4 near6 (user member client subscriber system cache hardware) near7 (attribut\$6 storag\$4 parameter information profil\$4 propert\$7 element\$5))) not ((web site internet html java) and ((select\$6 pick\$4 click\$4) near5 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7 web site internet html java)) and ((detect\$6) near4 (storag\$4 cache hardware mac system) near5 (profil\$4 propert\$6 attribut\$4 parameter)) and (request\$4 near6 (user member client subscriber system cache hardware) near7 (attribut\$6 storag\$4 parameter information profil\$4 propert\$7 element\$5)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:08
-	155		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 12:41
-	3		USPAT	2003/12/10 15:51
-	124	<pre>(request\$4 with (client computer user system) with (propert\$4 parameter\$4 information data) with (link\$4 hyper\$6)) and (request\$5 with less\$4 with</pre>	USPAT	2003/12/10 15:56
-	22	<pre>(propert\$5 parameter\$4 information data)) (request\$4 with (client computer user system) with (propert\$4 parameter\$4 information data) with (link\$4 hyper\$6) with less\$4)</pre>	USPAT	2003/12/10 15:56

S ((requests/4 with (client computer user system) with (properts/4 parameters/4 information data) with (link/4 hypers/6) and (requests/8 with lass/formation data))) and ((web site intermet html java) same (program/8 application)) and (link/4 hyperlink/4 hyper-link/4 hypers/7) (profils/4 properts/6 attributs/4)) and ((web site intermet html java) same (program/8 application)) and (link/4 hyperlink/4 hyper-link/4 hypers/7) (profils/4 properts/6 attributs/4)) and (server with request/5 with (user client member subscriber computer system) with (parameter properts/5 information data)) same (availabls/4 with (user client member subscriber computer system) with (parameter properts/5 information data)) same (availabls/4 with (user client member subscriber computer system) with (parameter properts/5 information data)) same (availabls/4 with (user client member subscriber computer system) with parameter system) with (parameter properts/5 information data)) same (availabls/4 with (user client member subscriber computer system) with (parameter properts/5 information data)) same (selectis/6 pick/4 click/4) same (link/4 hyperlink/4 hypers/7) ((site page server) with request/5 with (user client member system) with (parameter properts/5 information data)) same (selectis/6 pick/4 click/4) same) (link/4 hyperlink/4 hypers/7) ((site page server) with request/5 with (user client member subscriber computer system) with (parameter properts/5 information data) (selectis/6 pick/4 click/4) same) (link/4 hyperlink/4 hypers/7) (site page server) with request/5 with (user client member system) with (parameter properts/5 information data) (selectis/6 pick/4 click/4) selectis/6 pick/4 click/4					
information data) with (link% hyper%) DERMENT; And (request% with less% with March Dermand And And And And Dermands Derma	-	5	((request\$4 with (client computer user	1	
and (request\$\$ with less\$4 with (propert\$\$ parameter\$4 information data)) and ((web site internet html java) asame (propram\$5 application)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) same (luser computer size the member) near? (profile\$4 propert\$6 attribut\$4) and pref\$7 web site internet html java) anear\$5 tag\$4 (server with request\$5 with (user client member) subscriber computer system) with (parameter propert\$5 information data)) same (availabl34 with (user client member subscriber computer system) with (parameter propert\$5 information data)) and (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) (server with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (availabl34 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper*link\$4 hyper\$7) - 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyper*link\$4 hyper\$7) - 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyper\$7) - 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyper\$7) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyper\$7) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyper*link\$4 hyper*link\$4 hyper\$7) and (select\$6 pick\$4 click\$4] near11 (link\$4 hyper*link\$4 hyper*link\$4 hyper\$7) and (select\$6 pick\$4 click\$4] near11 (link\$4 hyper*link\$4 hyper*link\$4 hyper\$7) and (select\$6 pick\$4 click\$4] near11 (link\$4 hyper*link\$4 hyper*link\$4 hyper\$7) and (select\$6 pick\$4 click\$4] near11 (l				1	17:04
(propert\$5 parameter\$4 information data) and (loweb site internet htmid java same (program\$5 application) and (link\$4 hyper!nik\$4 hyper=link\$4 hyper=link\$4 hyper\$7] same (lower computer client member) near (profit\$4 propert\$6 attribut\$4) same (lower computer client member) near (profit\$4 propert\$6 attribut\$4) same (averible) same (1	
data)) and ((web site internet html java) same (program55 application)) and (link36 hyperlink34 hyper-link34 hyper57) same (luser computer clint member) near? (profil34 propert36 attribut34) and (link34 hyperlink34 hyper-link34 hyper37) (server with request35 with (user client member subscriber computer system) with (parameter propert55 information data)) same (availabl34 with (user client member subscriber computer system) and (select36 pick34 click34) same (link34 hyperlink34 hyper-link34 hyper57) (server with request35 with (user client member subscriber computer system) and (select36 pick34 click34) same (link34 hyperlink34 hyper-link34 hyper57) (server with request35 with (user client member subscriber computer system) same (availabl34 with (user client member subscriber computer subscriber computer system) with (parameter propert55 information data)) same (select36 pick34 click34) same (link34 hyperlink34 hyper-link34 hyper57) (site page server) with request35 with (user client member subscriber computer system) with (parameter propert55 profil34)) and (link34 hyper1ink34 hyper37) ((site page server) with request35 with (user client member subscriber computer system) with (parameter propert55 profil34)) same (link34 hyper1ink34 hyper37) ((site page server) with request35 with (user client member subscriber computer system) with (parameter propert55 profil34)) same (link34 hyperlink34 hyper1ink34 hyper37)) and ((select36) with (hardware mac system) with (profil34 propert36 attribut34 parameter)) 42 (web site intermet html java) and ((select36) with (hardware mac system) with (profil34 propert36 attribut34 parameter)) 43 (web site intermet html java) and ((detect56) with (hardware mac system) with (profil34 pro				IBM_TDB	
java same (programs5 application)) and (link34 hyperlink34 hyper-link34 hypers7) same ((user computer client member) near? (profils4 properts6 attributs4)) and ((link34 hyperlink34 hyper-link34 hypers7) web site internet html java) nearS tag44 (server with request5 with (user client member subscriber computer system) with (parameter propert55 information data)) and (select56) pick34 click34 same (link34 hyperlink34 hyper-link34 hypers7) (server with request55 with (user client member subscriber computer system) with (parameter propert55 information data)) same (availabl34 with (user client member subscriber computer system) with (parameter propert55 information data)) same (availabl34 with (user client member subscriber computer system) with (parameter propert55 information data)) same (select56 pick34 click34) same (select56 pick34 click34) same (select56 pick34 click34) same (select56 pick34 click34) same (select56) server) with request55 with (user client member subscriber computer system) with (parameter propert55 information data)) same (select56 pick34 click34) same (select56 pick34 click34) same (select56) server) with request55 with (user client member subscriber computer system) with (parameter propert55 profils4)) same (link34 hyperlink34 hyperlink34 hypers) (site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profils4)) same (link34 hyperlink34 hypers) (site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profils4)) same (link34 hyperlink34 hypers) (site page server) with request55 with (user client member subscriber computer system) (site page server) with request5 with (user client member subscriber computer system) (site page server) with request5 with (user client member subscriber computer system) (site page server) with request5 with (user client sember subscriber computer system) (site page server) with request5 with (user client sember subscriber computer system) (site pag					
(link%4 hyperlink%4 hyper-link%4 hypers?) same (luser computer client member) near? (profili%4 propert%6 attribut%4)) and ((link%4 hyperlink%4 hyper-link%4 hyper) web site internet html java) near5 tag%4) (parameter propert%5 information data)) same (availabl%4 with (user client member subscriber computer system) with (parameter propert%5 information data)) same (availabl%4 with (user client member subscriber computer system) with (parameter propert%5 information data)) same (availabl%4 with (user client member subscriber computer system) with (parameter propert%5 information data)) same (availabl%4 with (user client member subscriber computer system) with (parameter propert%5 information data)) same (availabl%4 with (user client member subscriber computer system) with (parameter propert%5 information data)) same (availabl%4 with (user client member subscriber computer system) with (parameter propert%5 information data)) same (availabl%4 with (user client member subscriber computer system) with (parameter propert%5 information data)) same (select%6 pick%4 click%4) same (link%4 hypers) ((site page server) with request%5 with (user client member subscriber computer system) with (parameter propert%5 profils%1) and (link%4 hyperlink%4 hypers)) - 122 (site page server) with request%5 with (user client member subscriber computer system) with (parameter propert%5 profils%1) same (link%4 hyperlink%4 hyperlink%4 hypers)) - 123 (site page server) with request%5 with (user client member subscriber computer system) with (parameter propert%5 profils%1) same (link%4 hyperlink%4 hyperlink%4 hypers)) - 124 (site page server) with request%5 with (user client member subscriber computer system) with (profils%4 propert%5 attribut%4 parameter)) - 125 (with page server) with request%5 with (user client member subscriber computer system) with (profils%4 propert%5 attribut%4) - 126 (site page server) with request%5 with (user client member subscriber computer) - 126 (with page server) with request%5 with (user client member subscribe			I The state of the		
same ((user computer client member) near? (profils4 properts6 attributs4)) and ((links4 hyperlinks4 hyper-links4 hypers7) web site internet html java) near5 tags4) (server with request5s with (user client member subscriber computer system) with (parameter propert5s information data)) and (select56) picks4 clicks4) same (links4 hyperlinks4 hyper-links4 hypers7) 14 (server with request5s with (user client member subscriber computer system) with (parameter propert5s information data)) and (select56) picks4 clicks4) same (links4 hyperlinks4 hyper-links4 hypers7) 15 (site page server) with request5s with (user client member subscriber computer system) with (parameter propert5s information data)) same (select56 picks4 clicks4) same (select56) mear4 (harameter propert5) profils4)) same (links4 hypers7) ((site page server) with request5s with (user client member subscriber computer system) with (parameter propert5s profils4)) same (links4 hyperlinks4 hypers7) 15 ((site page server) with request5s with (user client member subscriber computer system) with (parameter propert5s profils4)) same (links4 hyperlinks4 hyperlinks4 hypers7) 15 ((site page server) with request5s with (user client member subscriber computer system) with (parameter propert5s profils4)) same (links4 hyperlinks4 hyperlinks4 hypers7) 16 ((site page server) with request5s with (user client member subscriber computer system) with (parameter propert5s profils4)) same (links4 hyperlinks4 hyperlinks					
(profils properts attributs 1) and (links hyperlinks hypers links					
((link%4 hyperlink%4 hyper-link%4 hyperstag%) (server with request\$\$ with (user client member subscriber computer system) with (parameter propert\$\$ information data)) (link%4 hyperlink%4 hyperstage) (link%4 hyperstage) (link%4 hyperlink%4 hyperstage) (link%4 hyperstag		i			
web site internet html java) near5 tag\$4) - 260 (server with request5\$ with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (availabl\$4 with (user client member subscriber computer system) with (parameter propert\$5 information data)) and (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper\$7) (same (availabl\$4 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (salect\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper\$7) (site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (salect\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyperlink					
266					
member subscriber computer system) with (parameter propert55 information data)) same (availabl34 with (user client member subscriber computer system) with (parameter propert55 information data)) and (select36 pick34 click34) same (link34 hyperlink34 hyper-link34 hypers)) same (availabl34 with (user client member subscriber computer system) with (parameter propert55 information data)) same (availabl34 with (user client member subscriber computer system) with (parameter propert55 information data)) same (availabl34 with (user client member subscriber computer system) with (parameter propert55 information data)) same (select36 pick34 click34) same (link34 hyperlink34 hyper-link34 hypers) (site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profil34)) and (link34 hyperlink34 hyper-link34 hypers) 152 ((site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profil34)) same (link34 hyperlink34 hyper-link34 hypers) 12 ((site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profil34)) same (link34 hyperlink34 hyper-link34 hypers) 12 ((site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profil34)) same (link34 hyperlink34 hyper-link34 hypers) 12 ((site page server) with request5 with (user client member subscriber computer system) with (parameter propert55 profil34)) same (link34 hypers) profil34)) same (link34 hypers) 13 (web site internet html java) and ((select36) chick34 linearil (link34 hyperlink34 hyper-link34 hypers) 14 (select36) chick34 linearil (link34 hyperlink34 hyper-link34 hypers) 15 (select36 pick34 click34) nearil (link34 hyperlink34 hyper-link34 hypers) 16 (select36) chick34 linearil (link34 hyperlink34 hyper-link34 hypers) 17 (select36) chick34 linearil (link34 hyperlink34 hyper-link34 hypers) 18 (select36) chick34 linearil (link34 hyperlink34 hyper-link34 hypers	_	260		USPAT:	2003/12/10
Cparameter propert\$5 information data same (available\$4 with (user client member subscriber computer system) with (parameter propert\$5 information data) and (select\$6 pick\$4 click\$4 same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) (server with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data) same (available\$4 with (user client member subscriber computer system) with (parameter propert\$5 information data) same (select\$6 pick\$4 click\$4 same (link\$4 hyperlink\$4 hyper-link\$4 hypers*7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data profils\$4) and (link\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) and (link\$4 hypers*7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) same (link\$4 hyperlink\$4 hyper*7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) same (link\$4 hyperlink\$4 hyper*7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) same (link\$4 hyperlink\$4 hyper*7) (site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) same (link\$4 hyperlink\$4 hyper*7)) and (send\$4 forward*4 transmis*\$5 request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) same (link\$4 hypers*7)) and (send\$4 forward*4 transmis*\$5 request\$5 with (user client member subscriber computer system) with (parameter) propert\$5 profil\$4) same (link\$4 hypers*7)) and (send\$4 forward*4 transmis*\$5 request\$5 with (user client member subscriber computer system) with (parameter) propert\$5 profil\$4) same (link\$4 hyper*7)) and (send\$4 forward*4 transmis*\$5 request\$6 pick\$4 click\$4 near11 (link				I	
same (availabl\$4 with (user client member subscriber computer system) with (parameter propert\$5 information data)) and (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper-link\$4 hype				1	
(parameter propert\$5 information data) and (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper.link\$4				IBM_TDB	
and (select%6 pick%4 click%4) same (link%4 hyperlink%4 hyper\$7) (server with request55 with (user client member subscriber computer system) with (parameter propert\$5 information data1) same (select%6 pick%4 click%4) same (link%4 hyperlink%4 hyperlink%4 hyperlink%4 hyperlink%4 hyperlink%4 hyperlink%4 hyperlink%4 hypers?7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data) hyperlink%4 hyperlink%4 hypers?7) 831 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil%4)) and (link%4 hypers) - 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil%4)) same (link%4 hyperlink%4 hyperlink%4 hypers) - 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil%4)) same (link%4 hyperlink%4 hypers) - 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil%4)) same (link%4 hyperlink%4 hypers) - 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil%4)) same (link%4 hyperlink%4 hypers) - 154 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter) propert\$5 profil%4) same (link%4 hyperlink%4 hy			subscriber computer system) with	-	
(link\$4 hyperlink\$4 hyper_1ink\$4 hyper\$7) (server with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (availabl\$4 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyper_1ink\$4 hyper\$7) (site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (select\$6 pick\$4 click\$4) and (link\$4 hyper\$7) - 831 (site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$41) and (link\$4 hyper\$7) - 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$41) same (link\$4 hyper\$7) - 12 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$41) same (link\$4 hyper\$7) - 12 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$41) same (link\$4 hyper\$7) - 12 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$41) same (link\$4 hyper\$7) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7) and ((select\$6 pick\$4 clic	·				
14 (server with request5 with (user client member subscriber computer system) with (parameter propert5) information data) 17:43					
member subscriber computer system) with (parameter properts) information data)) same (availabl34 with (user client member subscriber computer system) with (parameter properts) information data)) same (select36 pict84 click44) same (link34 hyperlink34 hyper-link34 hypers)) - 7559 ((site page server) with request55 with (user client member subscriber computer system) with (parameter properts) information data profils4)) and (link34 hypers)) - 831 ((site page server) with request55 with (user client member subscriber computer system) with (parameter properts) profils4)) and (link34 hypers)) - 152 ((site page server) with request55 with (user client member subscriber computer system) with (parameter properts) profils4)) same (link34 hypers)) - 152 ((site page server) with request55 with (user client member subscriber computer system) with (parameter properts5 profils4)) same (link34 hypers)) - 12 ((site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profils4)) same (link34 hypers)) - 12 ((site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profils4)) same (link34 hypers)) - 12 ((site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profils4)) same (link34 hypers)) and ((send34 forward34 transfed55 transmis56 request34) with (user client member subscriber computer) - 159 (web site internet html java) and ((select56) pick34 click34) nearl1 (link34 hypers)) - (select56 pick34 click34) nearl1 (link34 hypers)) - (select					
Same (availab184 with (user client member subscriber computer system) with (parameter properts) information data)) same (select56 pick34 click34) same (select56 pick34 hyper-link34 hypers?7) ((site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profil) and (link34 hyper-link34 hypers?7) (site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profil) and (link34 hyper-link34 hypers?7) (site page server) with request55 with (user client member subscriber computer system) with (parameter propert55 profil) same (link34 hyperlink34 hyper-link34	-	14		I '	
same (availabl§4 with (user client member subscriber computer system) with (parameter propert\$5 information data)) same (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyperlink\$4 hyperlink\$4 hypersysystem) with (parameter propert\$5 information data) possibly information data profils\$4) land (link\$4 hyperlink\$4 hy				II.	17:43
subscriber computer system) with (parameter properts) information data)) same (selects6 pick34 click34) same (link34 hyperlink34 hyper-link34 hypers7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter properts5 information data profil\$4)) and (link\$4 hyperlink\$4 hyper\$7) 831 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyper!nik\$4 hyper-link\$4 hyper\$7) 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) 12 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and (send\$4 forward\$4 transfed\$5 transmis\$6 request\$4 with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) 1311 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 142 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and (select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7) and (select\$6 pick\$4 click\$4) hyperlink\$4 hyper\$7) and (select\$6 pick\$4 click\$4) hyperlink\$4 hyper\$7) hyperlink\$4 hyper\$7) hyperlink\$4 hyper\$7) hyperlink\$4 hy					
(parameter propert\$5 information data)) same (select\$6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 (user client member subscriber computer system) with (parameter propert\$5 (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7) profil\$4)) same (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) hearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6) pick\$4 click\$4) hearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) with (profil\$4 propert\$6 attribut\$4 parameter)) and (detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4) parameter)) and (less with (profil\$4)				TRW_LDB	
Same (selects6 pick\$4 click\$4) same (link\$4 hyperlink\$4 hypers7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) and (link\$4 hypers7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) and (link\$4 hypers7) (site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4) and (link\$4 hyperlink\$4 hypers7) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyperlink\$4 hypers7)) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyperlink\$4 hypers7)) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyperlink\$4 hypers7)) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hypers7)) and (select\$6 pick\$4 click\$4) nearll (link\$4 hypers7) and (select\$6 pick\$4 click\$4) nearll (link\$					
(link\$4 hyperlink\$4 hyper:\() with (user client member subscriber computer system) with (parameter propert\$5 information data profil\$4\)) and (link\$4 hyperlink\$4 hyperlink\$4 hyper:\() with (user client member subscriber computer system) with (parameter propert\$5 with (user client member subscriber computer system) with (parameter propert\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4\)) and (link\$4 hypers?\)\() ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4\)) and (link\$4 hyperlink\$4 hyper:\() ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4\)) same (link\$4 hyperlink\$4 hyper:\() ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4\)) same (link\$4 hyperlink\$4 hyper:\() ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4\)) same (link\$4 hyperlink\$4 hyper:\() ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4\) ((select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet html java) and ((select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet html java) and ((select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet html java) and ((select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet html java) and ((select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet html java) and ((select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet html java) and ((select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet html java) and ((select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet html java) and (select\$6 pick\$4 click\$4\) hearll (link\$4 hyper:\() (web site internet h					
Total	-				
(user client member subscriber computer system) with (parameter properts's information data profils4)) and (link\$4 hyperlink\$4 hyper-link\$4 hypers')) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter properts's profils4)) and (link\$4 hyperlink\$4 hyper-link\$4 hypers')) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter properts's profils4)) same (link\$4 hyperlink\$4 hypers') ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter properts's profils4)) same (link\$4 hyperlink\$4 hypers')) and ((select\$6 pick\$4 click\$4) hearll (link\$4 hyperlink\$4 hypers')) and ((select\$6 pick\$4 click\$4) hearll (link\$4 hyperlink\$4 hyper-link\$4 hypers')) and ((detect\$6) near4 (hardware mac system) near1 (profils4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyper-link\$4 hypers')) and ((detect\$6) with (hardware mac system) with (profils\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyper-link\$4 hypers')) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyper-link\$4 hyper-link\$4 hypers')) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hypers')) and ((select\$6 pic	_	7559		IISPAT:	2003/12/10
system) with (parameter propert\$5 information data profil\$4)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) 12 (((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7) ((web site internet hyper\$7) (out site page server) (out site pa		1 ,559		1	
information data profils(4)) and (link\$4 hyperlnink\$4 hyper-link\$4 hypers?) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profils(4)) and (link\$4 hyperlink\$4 hypers?) 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profils(4)) same (link\$4 hyperlink\$4 hypers?) 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profils(4)) same (link\$4 hyperlink\$4 hypers?)) and ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profils(4)) same (link\$4 hyperlink\$4 hypers?)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 159 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 160 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 170 ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 171 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 172 ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 173 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 174 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 175 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 176 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 parameter)) 175 (web site internet html java) and (web site internet html java) and (web site internet html java) and (web site internet html j					- ' · · · ·
hyperlink34 hyper-link34 hyper\$7)					
- 831 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper-link\$4 hyper\$7) and (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper-link\$4 hyper-link\$4 hyper-link\$4 hyper-link\$4 hyper-link\$4 hypers*7) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper-link\$4 hyper-link\$4 hypers*7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 parameter)) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7) and (select\$6 pick\$4 click\$6 pick\$6 attribut\$8					
(user client member subscriber computer system) with (parameter propert\$5 DERWENT; profil\$4)) and (link\$4 hyperlink\$4 hyper-link\$4 hyperlink\$4 hyperli	_	831		USPAT;	2003/12/10
system) with (parameter propert\$5 profil\$4)) and (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) 152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hypers\$7) 12 (((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hypers\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 43 (web site internet html java) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 44 (detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 45 (best\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) 46 (best\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) 47 (best\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) 48 (best\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7) 49 (best\$6 pick\$4 click\$4) hyperlink\$4 hyper\$7) hyperlink\$4 hyper\$7) hyperlink\$4 hyperlink\$4 hyper\$7) hyperlink\$4 hyperlink\$4 hyperlink\$4 hyperli					
hyper-link\$4 hyper\$7) ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) (((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper-link\$4 hyper-link\$4 hyperlink\$4 hyper-link\$4 hyperlink\$4 hyperlink\$4 hyper-link\$4 hyperlink\$4 hyper-link\$4 parameter)) (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyper-link\$4 hy				DERWENT;	
152 ((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)				IBM_TDB	•
(user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper-link\$4 hypers\$7) (((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper-link\$4 hyperlink\$4 hyper-link\$4 hyperlink\$4 hyperlink\$4 hyperlink\$4 hyperlink\$4 hypers\$7)) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyper-link\$4 hypers\$7)) and ((detect\$6) near4 (hardware mac system) nearll (profil\$4 propert\$6 attribut\$4 parameter)) ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearll (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter))					
system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7) (((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7)) and (select\$6 pick\$4 click\$4 pick\$4 pick\$4 hyperlink\$4 hyper\$7) and (select\$6 pick\$4 click\$4 pick\$4 pick\$4 hyperlink\$4 hyper\$7) and (sel	_	152	1 11 2 3		1
profils4) same (link\$4 hyperlink\$4 hyper-link\$4 hyper-link\$4 hypers\$7) 12 (((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profils4)) same (link\$4 hyperlink\$4 hyperlink\$4 hyper-link\$4 hyperlink\$4 hyper-link\$4 hyperlink\$4 hyperlink\$4 hyperlink\$4 hypers\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) 159 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6 pick\$4 click\$4) near11 (link\$4 parameter)) 1311 ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyperlink\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((meb site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter))			1 '		18:03
hyper-link\$4 hyper\$7) (((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 thyper-link\$4 hyper\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) nearl1 (profil\$4 propert\$6 attribut\$4 parameter)) ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyper\$1) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyper\$1) and ((detect\$6) with (hardware mac system) usin (profil\$4 propert\$6 attribut\$4 parameter)) ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyper\$1) and ((detect\$6) with (hardware mac system) usin (profil\$4 propert\$6 attribut\$4 parameter)) ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) usin (profil\$4 propert\$6 attribut\$4 parameter)) attributes the propert\$6 attribut\$4 parameter))					
12 (((site page server) with request\$5 with (user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7)) and ((profil\$4 propert\$6 attribut\$4 parameter)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter) and (propert\$6 attribut\$6 parameter) and (propert\$6 attribut\$6 parameter) and (propert\$6 attribut\$6 parameter) and (propert\$6 attr				L TEM_TDB	
<pre>(user client member subscriber computer system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) nearl1 (profil\$4 propert\$6 attribut\$4 parameter)) (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper\$7) hyperlink\$4 hyper\$7) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper\$7) hyperlink\$4</pre>	_	12		IISPAT.	2003/12/10
system) with (parameter propert\$5 profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) 311 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 (meb site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper\$7) and (select\$6 pick\$4 click\$4 hyper\$7) and (sele	1	12			I ' '
profil\$4)) same (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) 311 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter))					10.00
hyper-link\$4 hyper\$7)) and ((send\$4 forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$1ink\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) all detect\$6 pick\$4 click\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) all detect\$6 pick\$4 click\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) all detect\$6 pick\$4 click\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter))	1		profil\$4)) same (link\$4 hyperlink\$4		
forward\$4 transfed\$5 transmis\$6 request\$4) with (user client member subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) nearl1 (profil\$4 propert\$6 attribut\$4 parameter)) (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 parameter)) and (less with (profil\$4	1		hyper-link\$4 hyper\$7)) and ((send\$4		
subscriber computer) with summary) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) 311 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; IBM_TDB					
159 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) nearl1 (profil\$4 propert\$6 attribut\$4 parameter)) 311 (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 parameter)) ((detect\$6 pick\$4 click\$4) nearl1 (link\$4 parameter)) ((detect\$6 pick\$4 click\$4) nearl1 (link\$4 parameter)) ((detect\$6 pick\$4 click\$4) nearl1 (link\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4	1				
((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) 311 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 parameter)) ((detect\$6 pick\$4 click\$4) near11 (link\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4)					
hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) near4 (hardware mac system) near11 (profil\$4 propert\$6 attribut\$4 parameter)) 311 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 EPO; JPO; hyperlink\$4 hyper-link\$4 hyper\$7)) and (detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter))	-	159		1	I ' '
((detect\$6) near4 (hardware mac system) nearl1 (profil\$4 propert\$6 attribut\$4 parameter)) (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4) TDB IBM_TDB USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; IBM_TDB					09:11
nearl1 (profil\$4 propert\$6 attribut\$4 parameter)) (web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((select\$6 pick\$4 click\$4) nearl1 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter))) and (less with (profil\$4	1			1	
parameter)) (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 parameter))) and (less with (profil\$4)	1			IBM_TDB	
- 311 (web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and (detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and (detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4 propert\$6 attribut\$4 parameter))) and (less with (profil\$4 propert\$6 attribut\$4 parameter))	1				
<pre>((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and</pre>	1_	211		IICDAM.	2002/12/11
hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4	1	311	((selects6 nicks4 clicks4) near11 (links4)		
((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4]			09.14
with (profil\$4 propert\$6 attribut\$4 parameter)) 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 EPO; JPO; hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4					
parameter)) ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 EPO; JPO; hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4					
- 42 ((web site internet html java) and ((select\$6 pick\$4 click\$4) near11 (link\$4 EPO; JPO; hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4					
((select\$6 pick\$4 click\$4) near11 (link\$4 EPO; JPO; hyperlink\$4 hyper-link\$4 hyper\$7)) and ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4	-	42		USPAT;	2003/12/11
hyperlink\$4 hyper-link\$4 hyper\$7)) and DERWENT; ((detect\$6) with (hardware mac system) with (profil\$4 propert\$6 attribut\$4 parameter)) and (less with (profil\$4					1 ' '
with (profil\$4 propert\$6 attribut\$4 parameter))) and (less with (profil\$4					
parameter))) and (less with (profil\$4					
				-	
propert\$6 attribut\$4 parameter))					
	L		propert\$6 attribut\$4 parameter))	l	

- 20 ((web site internet html java) and U	JSPAT;	2003/12/11
	EPO; JPO;	09:13
	DERWENT;	
((detect\$6) near4 (hardware mac system) I	IBM_TDB	
nearl1 (profil\$4 propert\$6 attribut\$4	_	
parameter))) and (less with (profil\$4		
propert\$6 attribut\$4 parameter))		
- 8505 ((attribut\$4 parameter format\$4 config\$7 U	JSPAT	2004/06/08
profil\$4 constraint\$4 preferenc\$4) with		18:02
(choos\$6 select\$6 determin\$6 request\$4)		
same (user client member\$6 subscrib\$6)		
same (pag\$4 sit\$4 web internet document))		
	JSPAT	2004/06/08
profil\$4 constraint\$4 preferenc\$4) with		18:02
(choos\$6 select\$6 determin\$6 request\$4)		
same (user client member\$6 subscrib\$6)	İ	
same (pag\$4 sit\$4 web internet))		
	JSPAT;	2004/06/13
	EPO; JPO;	18:20
1	DERWENT;	
	IBM_TDB	
same (pag\$4 sit\$4 web internet))) and		
(((site page server) with request\$5 with	•	
(user client member subscriber computer		
system) with (parameter propert\$5		
profil\$4)) same (link\$4 hyperlink\$4		
hyper-link\$4 hyper\$7))	TCDAM.	2004/06/13
1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT; EPO; JPO;	2004/06/13 18:21
	DERWENT;	10.21
	IBM TDB	
	USPAT;	2004/06/13
	EPO; JPO;	19:44
	DERWENT;	13.11
	IBM TDB	
((user computer client member) near7		
(profil\$4 propert\$6 attribut\$4)))		
	USPAT;	2004/06/13
	EPO; JPO;	18:22
	DERWENT;	
	IBM TDB	
same (pag\$4 sit\$4 web internet))) and	_	
((web site internet html java) near11		
(program\$5 application)) and (((web site		
internet html java link\$4 hyperlink\$4		
hyper-link\$4 hyper\$7) near5 tag\$4) same		
((user computer client member) near7		
(profil\$4 propert\$6 attribut\$4)))		
	USPAT;	2004/06/13
	EPO; JPO;	18:22
l l l l l l l l l l l l l l l l l l l	DERWENT;	
	IBM_TDB	
same (pag\$4 sit\$4 web internet))) and		
((server near11 (cookie ((internet\$4 web		
site) near2 (fil\$4 information data)))		
near11 (sav\$4 stor\$4)) same (ad		
advertis\$4))		